

HEBEI JIKE TRADE CO.,LTD
ZHONGKE INDUSTRIAL PRODUCTS CO.,LTD
ADD:BAONENG CENTER, SHIJIAZHUANG, HEBEI, CHINA 050800
TEL/WECHAT/WHATSAPP:+86-15831931141 +86-19930751141
Email: janeliu@qualitywiremesh.com
Web: www.qualitywiremesh.com

Introductions

Farm fencing is also a kind of popular fence for fields or agriculture, also called farm fence or grassland fence, deer fence. It is woven by high tensile hot dipped galvanized with zinc coating above 200g/m2. It is a type of very economical fence for the farm, or chard, fields, grasslands, forest zone ...etc. The formation of the field fencing is automatic twist plait by the line wire and the cross wire. So the fencing mesh is knotted. And the spacing between the line wire is different, smaller spacing in the bottom of mesh panel, then the spacing become much more bigger than the the bottom one. To design like that is to protect the little rodents or animals from getting through.

Farm fence can be woven with different types of knots: fixed knots, hinge joint knots or other custom patterns.





Hinge joint fence is a kind of fence, whose top and bottom wires are made of 2.5mm diameter wire, and the tensile strength is greater than or equal to 710N/mm2. The other wires are made of 1.9mm diameter wire, and the tensile strength is 440-540N/mm2.





Fixed knot fencing is a kind of fencing, usually made of high-strength galvanized steel wire. The wire is knitted into a grid-like structure through a special knitting machine, and then fixed and supported by a steel frame. It is widely used in stadiums, squares, playgrounds, amusement parks and other places.

Posts

The farm fencing post is to use the angle steel, to make holes on the angle steel, which is used to tie the fence panel with the post. And it can use the wooden stake to replace the angle steel. To fix the post and the fence panel together is using the galvanized wire.



HEBEI JIKE TRADE CO.,LTD
ZHONGKE INDUSTRIAL PRODUCTS CO.,LTD
ADD:BAONENG CENTER, SHIJIAZHUANG, HEBEI, CHINA 050800
TEL/WECHAT/WHATSAPP:+86-15831981141 +86-19930751141
Email: janeliu@qualitywiremesh.com
Web: www.qualitywiremesh.com

All in all, the formation of the field fencing is not complex, and it is also very economical and save the production cost. It is a quite good choice to choose the field fencing.



Classification of fence

Agricultural fence (such as **horse fencing**, **livestock panel fence**); Ranch fence (such as sheep fencing, goat fence, deer fence and cattle fence); Grassland fence (such as border fence).

application

Farm, Field fence has many widely range uses almost covering each corners in our lives. Field fences are mainly used for barriers in ranch construction, grazing and feeding of animals in agriculture farm and grassland fence;

Used for protection of natural environment.

Specifications

Materials: zinc-aluminium alloy wire (Galfan wire) or galvanized steel wire, both high tensile wire.



HEBEI JIKE TRADE CO.,LTD ZHONGKE INDUSTRIAL PRODUCTS CO.,LTD ADD:BAONENG CENTER,SHIJIAZHUANG,HEBEI,CHINA 050800 TEL/WECHAT/WHATSAPP:+86-15831931141 +86-19930751141 Email: janeliu@qualitywiremesh.com



						15cm	7	15cm			
		,00				20cm		20cm			
		7		width 15cm		20cm		20cm	7		
				20cm		20cm		20cm	0,		
		width 15cm		20cm	20	15cm		15cm	ľ		
X	and	20cm		15cm	15cm						
width 15cm			1	20cm		10cm	200cm	10cm	200gm		
20cm		- 2	20cm	-	15cm	ш	10cm	20	10cm	200	
Zociii			20cm		9855		10cm		10cm		
20cm		200111		15cm	160am	5cm 5cm	cm	10cm			
20cm		15cm	130gm	10cm		5cm 5cm		10cm			
15cm	5	100am	5	10000000	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	10cm		5 cm		10cm	
	100	15cm	7	10cm		5cm 5cm		10cm			
15cm		10cm	10cm		5 cm	-	10cm	l .			
10cm		10cm	1	10cm	1	5 cm 5 cm	- 1	10cm			
10cm		10cm	1	5cm 5cm	, 0	5cm 5cm		10cm			
10cm		5 cm		5cm	X	5cm 5cm		10cm			

Hinge Joint Field	100/8/15	130/11/15	160/15/15	200/25/15	200/17/15	
Height (100	130	160	200	200	
Horizontal wire	8	11	15	25	17	
Roll Leng	50	50	50	50	50	
Ø wire 2.5mm; Ø top and bottom wire	mesh opening width (cm)	15, 30	15, 30	15, 30	15, 30	15, 30
2.5mm	Roll weight (kg)	17	26	35	52	40


Note: the following sizes also can be manufactured by your order: 200/22/15; 200/17/15; 180/24/15; 160/23/15; 150/13/15; 140/22/15; 140/11/15

Fixed knot farm fence

Materials:zinc-aluminium alloy wire (Galfan wire) or galvanized steel wire ,both hightensile wire



HEBEI JIKE TRADE CO.,LTD ZHONGKE INDUSTRIAL PRODUCTS CO.,LTD ADD:BAONENG CENTER, SHIJIAZHUANG, HEBEI, CHINA 050800 TEL/WECHAT/WHATSAPP:+86-15831981141 +86-19930751141 Email: janeliu@qualitywiremesh.com Web: www.qualitywiremesh.com



	2	Fixed knot	ted Field fence	N.	
Item	Horizontal wire number	Inside wire gauge	Top & bottom wire gauge	Stay spacing	Fence height
FKF-1	23	12.5	10.5	3", 6" or 12"	120"
FKF-2	20	12.5	10.5	3", 6" or 12"	96"
FKF-3	17	12.5	10.5	3", 6" or 12"	75"
FKF-4	15	12.5	10.5	3", 6" or 12"	61"
FKF-5	13	12.5	10.5	3", 6" or 12"	74"
FKF-6	13	12.5	12.5	3", 6" or 12"	48"
FKF-7	9	12.5	12.5	3", 6" or 12"	49"
FKF-8	16	12.5	12.5	3", 6" or 12"	90"
FKF-9	14	12.5	12.5	3", 6" or 12"	78"
FKF-10	10	12.5	12.5	3", 6" or 12"	47"
FKF-11	17	12.5	12.5	3", 6" or 12"	74"
FKF-12	13	12.5	12.5	3", 6" or 12"	74"
FKF-13	11	12.5	12.5	3", 6" or 12"	60"
FKF-14	8	12.5	12.5	3", 6" or 12"	36"



HEBEI JIKE TRADE CO.,LTD ZHONGKE INDUSTRIAL PRODUCTS CO.,LTD ADD:BAONENG CENTER,SHIJIAZHUANG,HEBEI,CHINA 050800 TEL/WECHAT/WHATSAPP:+86-15831931141 +86-19930751141 Email: janeliu@qualitywiremesh.com Web: www.qualitywiremesh.com

HERE WEST OF THE STATE OF THE S

HERE SHALL S

HERE IN THE STATE OF THE STATE

	y	ADD:BAONEN TEL/WECHAT	HEBEI JIKE TRADE CO.,LTD DNGKE INDUSTRIAL PRODUCTS CO. NG CENTER, SHIJIAZHUANG, HEBEI, C T/WHATSAPP:+86-15831931141 +86 Email: janeliu@qualitywiremesh.com Web: www.qualitywiremesh.com	6-19930751141	A REPORT OF THE PROPERTY OF TH	
FKF-15	8	12.5	12.5	3", 6" or 12"	31"	S
FKF-16	7	12.5	12.5	3", 6" or 12"	36"	7
	AS.	available, OEM orders			HX)	5

CITA MIRK MEST

And Michael Market Mark Customized color and size are available, OEM orders are welcomed!

HERLINK OJANIA MIRK. MET.

DY INY CHANGE WENT