



Spiral woven mesh

Material :Stainless Steel


Flexibility: Inflexible

Maximum Width:2.5m

Weight:6.6kg/m²

Open Area:%

Surface Treatment: PVDF Painting/PVC coating/Electroplating



●Detail Description

The Spiral woven mesh is also called decorative spiral mesh belt or decorative conveyor mesh belt, it is a kind of [decorative wire mesh](#) mainly used as building facades. The spiral woven mesh using high quality stainless steel, aluminum alloy, or carbon steel as material, produced by combining the spiral wire and cross wire together, spiral woven mesh has unique appearance and has very good decorative effect.

[Spiral wire mesh](#) is mainly used as facade for stadiums, theaters, markets, airports, office buildings, it has very good decorative effect also can be used as sun-shade which can help to adjust the building temperature and reduce the energy cost. The light grade spiral woven mesh can also be used as inner partitions or decoration walls used in restaurants, hotels and cafes.



HEBEI JIKE TRADE CO.,LTD
 ZHONGKE INDUSTRIAL PRODUCTS CO.,LTD
 ADD:BAONENG CENTER,SHIJIAZHUANG,HEBEI,CHINA 050800
 TEL/WECHAT/WHATSAPP:+86-15831931141 +86-19930751141
 Email: janeliu@qualitywiremesh.com Web: www.qualitywiremesh.com


● Product Features

Very large production size, suitable to be installed in large area.

Very unique appearance and has good decorative effects.

Very good resistance to weather and has long service life.

Balanced Spiral Belting Request for Further Information / Quotation Please supply the following dimensions, where applicable:



Welded Edge(W)

Laddered Edge
(LD)

Hooked Edge(U)

NOTE: when measuring pitches A & C, it is best practice to measure over 10 pitches and then divide by 10 to obtain the average pitch

** Only available in large mesh sizes.

Material:		overall width:	mm	Length:	meters								
A	Coil Pitch*		mm	<table border="1"> <tr> <th colspan="2">Edge Type</th> </tr> <tr> <td>Welded (BSW)</td> <td></td> </tr> <tr> <td>Laddered (BS-LD)**</td> <td></td> </tr> <tr> <td>Hooked (BS-U)**</td> <td></td> </tr> </table>		Edge Type		Welded (BSW)		Laddered (BS-LD)**		Hooked (BS-U)**	
Edge Type													
Welded (BSW)													
Laddered (BS-LD)**													
Hooked (BS-U)**													
B	Coil Wire Diameter <i>If Flat Wire, please give cross-section</i>		mm										
C	Crimped Cross Wire Pitch*		mm										
D	Crimped Cross Wire Diameter		mm										



HEBEI JIKE TRADE CO.,LTD
ZHONGKE INDUSTRIAL PRODUCTS CO.,LTD
ADD:BAONENG CENTER,SHIJIAZHUANG,HEBEI,CHINA 050800
TEL/WECHAT/WHATSAPP:+86-15831931141 +86-19930751141
Email: janeliu@qualitywiremesh.com Web: www.qualitywiremesh.com

